Location: ULRICH Sys Fac ID: 37-02704

309 2ND AVE NE Last Inspected On: 3/18/2014

BRADY, MT 59416 PONDERA Operating Permit Renewal Date:

Contact: Scott Ulrich, (907) 746-5848

Owners/Operators: Debbie Ulrich, Owner/Operator (907)-746-5848 33066 WEST ROCKY ISLAND CIRCLE

SUTTON AK 99674

Scott Ulrich, Owner/Operator (907)-746-5848 33066 WEST ROCKY ISLAND CIRCLE

SUTTON AK 99674

Clifford Suek, UST Class A Operator Clifford Suek, UST Class B Operator

Tank ld	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
3	18	7/1/1997	Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve (Auto Shutoff)
487			None	Double-Walled	Yes
Temporarily Out of Use	)		Not Required	U.S. Suction	Not Applicable
Heating Oil			Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	Continuous Interstitial Monitor	
8,000			TLS-350/Gilbarco EMC , Veeder Root		

Location: MOUNTAIN VIEW COOP BRADY

Sys Fac ID: 37-04241

102 RAILROAD ST N

BRADY, MT 59416 PONDERA Operating Permit Renewal Date: 8/4/2016

**Contact:** Daniel Sieler, (406) 753-2258

Owners/Operators: Mountain View Coop, Owner (406)-453-2435 ATTN DAVE DOUGLAS

2200 OLD HAVRE HWY BLACK EAGLE MT 59414-1043 Last Inspected On: 7/2/2013

David Douglas, UST Class A Operator Lorena Rouns, UST Class B Operator

David Douglas, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
6	18	11/1/1997	Unknown	Flexible Plastic	
2142	Yes	4/26/2013	None	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Gasoline			Deferred	Continuous Interstitial Monitor	
17,000					
7	18	11/1/1997	Unknown	Flexible Plastic	
2143	Yes		None	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Gasoline			Deferred	Continuous Interstitial Monitor	
17,000					
8	18	11/1/1997	Unknown	Flexible Plastic	
2144	Yes		None	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Diesel			Deferred	Continuous Interstitial Monitor	
12,000					
9	18	11/1/1997	Unknown	Flexible Plastic	
2145	Yes		None	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Diesel			Deferred	Continuous Interstitial Monitor	
5,000					

Location: MOUNTAIN VIEW COOP CONRAD Sys Fac ID: 37-01649

19 S MAIN ST

Owners/Operators: Mountain View Coop, Owner/Operator

CONRAD, MT 59425 PONDERA Operating Permit Renewal Date: 3/8/2017

**Contact:** Dave Douglas, (406) 453-2435

(406)-453-2435 ATTN DAVE DOUGLAS 2200 OLD HAVRE HWY

**BLACK EAGLE MT 59414-1043** 

Last Inspected On: 12/27/2013

Dave Douglas, UST Class A Operator
Jody Fowler, UST Class A Operator
Jeremy Kulpas, UST Class A Operator
Jody Fowler, UST Class B Operator
Jeremy Kulpas, UST Class B Operator
Dave Douglas, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	19	1/8/1997	Steel Clad	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
920		8/15/2013	Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel		8/2/2013	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
7,000					
2	19	1/8/1997	Steel Clad	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
921		8/15/2013	Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel		8/2/2013	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
7,000					
3	19	1/8/1997	Steel Clad	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
922		8/15/2013	Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel		8/2/2013	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
6,000					

**Location**: MOUNTAIN VIEW COOP CONRAD **Sys Fac ID**: 37-01649

19 S MAIN ST

CONRAD, MT 59425 PONDERA Operating Permit Renewal Date: 3/8/2017

Last Inspected On: 12/27/2013

**Contact:** Dave Douglas, (406) 453-2435

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
4	19	1/8/1997	Steel Clad	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
919		8/15/2013	Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel		8/2/2013	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
6,000					
5	19	1/8/1997	Steel Clad	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
918		8/15/2013	Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel		8/2/2013	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
9,000					
11	19	1/8/1997	Steel Clad	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
916		8/15/2013	Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline		8/2/2013	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
9,000					
12	19	1/8/1997	Steel Clad	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
917		8/15/2013	Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline		8/2/2013	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
6,000					

TOMS SUPER SERVICE Location: **Sys Fac ID:** 37-06114

(800)-824-8366

301 S MAIN ST Last Inspected On: 5/20/2013

CONRAD, MT 59425 **PONDERA** Operating Permit Renewal Date: 7/20/2016

Tom Fetters, (406) 278-5213

SHELBY MT 59474-0810

PO BOX 810

Tom Fetters, UST Class A Operator Tom Fetters, UST Class B Operator Gail Mullennax, UST Class B Operator Gregory Taylor, UST Class B Operator

Contact:

Owners/Operators: Ben Taylor Inc, Owner

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	22	5/12/1993	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Ball Float Valve
425			Double-Walled	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Not Applicable
Gasoline			Continuous Interstitial Monitor	MLLD Line Tightness Testing	
4,000		2/20/2013			
4	22	5/12/1993	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Ball Float Valve
423			Double-Walled	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Not Applicable
Gasoline			Continuous Interstitial Monitor	MLLD Line Tightness Testing	
4,000		2/20/2013			
5	22	5/12/1993	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Ball Float Valve
424			Double-Walled	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Not Applicable
Gasoline			Continuous Interstitial Monitor	MLLD Line Tightness Testing	
8,000		2/20/2013			

Location: TOWN PUMP INC CONRAD Sys Fac ID: 37-08692

215 N MAIN ST Last Inspected On: 12/28/2015

CONRAD, MT 59425 PONDERA Operating Permit Renewal Date: 4/1/2019

PO BOX 6000

Contact: Trent Biggers, (406) 497-6700

(406)-497-6947

BUTTE MT 59702-2534

Charles A Armstrong, UST Class A Operator

Trent Biggers, UST Class A Operator Don Edmisten, UST Class A Operator Daniel Sampson, UST Class A Operator

Owners/Operators: Town Pump Inc, Owner

Charles A Armstrong, UST Class B Global Operator

Trent Biggers, UST Class B Global Operator
Don Edmisten, UST Class B Global Operator
Daniel Sampson, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	32	8/30/1983	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Ball Float Valve
2584			Impressed Current	None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Gasoline		12/10/2015	Stat. Inventory Reconcilitation, Approved Remote Monitoring	Stat. Inventory Reconcilitation, Approved Remote Monitoring	
12,000		7/28/2006	TLS-350/Gilbarco EMC , Veeder Root		
2	32	8/30/1983	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
2585			Impressed Current	None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Gasoline		12/10/2015	Stat. Inventory Reconcilitation, Approved Remote Monitoring	Stat. Inventory Reconcilitation, Approved Remote Monitoring	
12,000		7/29/2006	TLS-350/Gilbarco EMC , Veeder Root		
3	32	8/30/1983	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
2586			Impressed Current	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Diesel		12/10/2015	Stat. Inventory Reconcilitation, Approved Remote Monitoring	Stat. Inventory Reconcilitation, Approved Remote Monitoring	
12,000		7/30/2006	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	

Location: TOWN PUMP INC CONRAD Sys Fac ID: 37-08692

215 N MAIN ST

CONRAD, MT 59425 PONDERA Operating Permit Renewal Date: 4/1/2019

Last Inspected On: 12/28/2015

**Contact:** Trent Biggers, (406) 497-6700

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
4	29	8/30/1986	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
2587			Impressed Current	None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Gasoline		12/10/2015	Stat. Inventory Reconcilitation, Approved Remote Monitoring	Stat. Inventory Reconcilitation, Approved Remote Monitoring	
12,000		8/1/2006	TLS-350/Gilbarco EMC , Veeder Root		
5	27	7/1/1988	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
2588			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel		12/3/2009	Stat. Inventory Reconcilitation, Approved Remote Monitoring	Stat. Inventory Reconcilitation, Approved Remote Monitoring	
12,000		10/26/2006	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	
8	16	9/1/1999	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
4151			Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel		12/3/2009	Continuous Interstitial Monitor, Stat. Inventory Reconcilitation, Approved Remote Monitoring	Stat. Inventory Reconcilitation, Approved Remote Monitoring	
10,000		10/30/2006	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	
9	16	9/1/1999	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
4152			Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel		12/3/2009	Continuous Interstitial Monitor, Stat. Inventory Reconcilitation, Approved Remote Monitoring	Stat. Inventory Reconcilitation, Approved Remote Monitoring	
5,000		10/30/2006	TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor	

**Location**: TOWN PUMP INC CONRAD **Sys Fac ID**: 37-08692

215 N MAIN ST

CONRAD, MT 59425 PONDERA Operating Permit Renewal Date: 4/1/2019

Last Inspected On: 12/28/2015

**Contact:** Trent Biggers, (406) 497-6700

Tank ld	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
10	01	7/1/2014	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
5495		7/21/2014	Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Continuous Interstitial Monitor, Stat. Inventory Reconcilitation, Approved Remote Monitoring	Stat. Inventory Reconcilitation, Approved Remote Monitoring	
8,000			TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor, Not Listed	
11	01	7/1/2014	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
5496		7/21/2014	Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline			Continuous Interstitial Monitor, Stat. Inventory Reconcilitation, Approved Remote Monitoring	Stat. Inventory Reconcilitation, Approved Remote Monitoring	
20,000			TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor, Not Listed	
12	01	7/1/2014	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
5497		7/21/2014	Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel			Continuous Interstitial Monitor, Stat. Inventory Reconcilitation, Approved Remote Monitoring	Stat. Inventory Reconcilitation, Approved Remote Monitoring	
8,000			TLS-350/Gilbarco EMC , Veeder Root	Continuous Interstitial Monitor, Not Listed	

## Facility Summary in PONDERA County in the City of HEART BUTTE

Location: **HEART BUTTE SCHOOL DIST 1 Sys Fac ID:** 37-09353

SCHOOL BUS BARN RD Last Inspected On: 11/21/2013

HEART BUTTE, MT 59448 **PONDERA** Operating Permit Renewal Date: 12/28/2016

Dale Shupe, (406) 338-2200

(406)-338-2200 PO BOX 259 **HEART BUTTE MT 59448-0259** 

Stewart Horn, UST Class A Operator

Owners/Operators: School Dist 1 Heart Butte, Owner

Contact:

Merlin Running Crane, UST Class A Operator

Stewart Horn, UST Class B Operator

Merlin Running Crane, UST Class B Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
3	29	5/6/1986	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
1901			None	None	Yes
Currently in Use			Not Required	Safe Suction	Not Applicable, Not Applicable
Gasoline			Automatic Tank Gauging 0.2	Not Listed	
2,000					
4	29	5/6/1986	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
1902			None	None	Yes
Currently in Use			Not Required	Safe Suction	Not Applicable, Not Applicable
Diesel			Automatic Tank Gauging 0.2	Not Listed	
2,000					

Location: ONE STOP CENEX Sys Fac ID: 37-03112

518 TETON Last Inspected On: 12/15/2014

VALIER, MT 59486 PONDERA Operating Permit Renewal Date: 12/17/2017

Contact: Shawna Curry, (406) 279-3578

(406)-279-3600 PO BOX 368

VALIER MT 59486-0368

Scott R Curry, UST Class A Operator Scott R Curry, UST Class B Operator

Owners/Operators: One Stop LLC, Owner

Tank ld	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	25	3/21/1990	Cathodically Protected Steel	Flexible Plastic	Flapper Valve (Auto Shutoff)
1879			None	Double-Walled	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Galvanic
Diesel		9/30/2015	Stat. Inventory Reconcilitation	MLLD Line Tightness Testing	
1,000		12/15/2014			
3	25	3/21/1990	Cathodically Protected Steel	Flexible Plastic	Flapper Valve (Auto Shutoff)
1878			None	Double-Walled	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Galvanic
Gasoline		9/30/2015	Stat. Inventory Reconcilitation	MLLD Line Tightness Testing	
1,000		12/15/2014			
4	25	3/21/1990	Cathodically Protected Steel	Flexible Plastic	Flapper Valve (Auto Shutoff)
4445			None	Double-Walled	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Galvanic
Gasoline		9/30/2015	Stat. Inventory Reconcilitation	MLLD Line Tightness Testing	
2,000		12/15/2014			

CFN CARDLOCK Location: **Sys Fac ID:** 56-14043

810 TETON Last Inspected On: 2/25/2015

VALIER, MT 59486 **PONDERA** Operating Permit Renewal Date: 3/25/2018

Joe Stokes, (406) 279-3365

PO BOX 810 (800)-824-8366 SHELBY MT 59474-0810

Scott E Curry, UST Class A Operator Thomas Loch, UST Class B Operator Gail Mullennax, UST Class B Operator Rusty Rideout, UST Class B Operator Joel Stokes, UST Class B Operator Rita Swanson, UST Class B Operator Gregory Taylor, UST Class B Operator Scott E Curry, UST Class B Global Operator

Contact:

Owners/Operators: Ben Taylor Inc, Owner

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	13	8/19/2002	Concrete	Flexible Plastic	
4710	Yes	2/23/2015	None	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Gasoline			Deferred	Continuous Interstitial Monitor	
8,000			ILS-350 , Veeder Root		
2	13	8/19/2002	Concrete	Flexible Plastic	
4711	Yes	2/23/2015	None	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Gasoline			Deferred	Continuous Interstitial Monitor	
8,000			ILS-350 , Veeder Root		
3	13	8/19/2002	Concrete	Flexible Plastic	
4712	Yes	2/23/2015	None	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Diesel			Deferred	Continuous Interstitial Monitor	
17,000			ILS-350 , Veeder Root		

Location: CFN CARDLOCK Sys Fac ID: 56-14043

810 TETON Last Inspected On: 2/25/2015

VALIER, MT 59486 PONDERA Operating Permit Renewal Date: 3/25/2018

**Contact:** Joe Stokes, (406) 279-3365

Tank ld	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
ļ	13	8/19/2002	Concrete	Flexible Plastic	
1713	Yes	2/23/2015	None	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Diesel			Deferred	Continuous Interstitial Monitor	
17,000			ILS-350, Veeder Root		